



AIR LOGISTICS CORPORATION – F.A.C.S. Group
925 North Todd Avenue • Azusa, California 91702 USA
Phone (626) 633-0294 Fax (626) 633-0791

SAFETY DATA SHEET

Power Coat™ Paint

SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Power Coat™ Paint

MFR'S NAME: Air Logistics Corporation, 925 North Todd Avenue, Azusa CA 91702

EMERGENCY PHONE: 800.424.9300 (CHEMTREC) **GENERAL INFORMATION:** 626.633.0294

USE OF THE SUBSTANCE: This paint is specially compounded for long-term resistance to weathering, and UV exposure. It should NOT be applied via spray, but by roller, brush, or painter's mitt.

SECTION 2: HAZARDS IDENTIFICATION

OSHA/HCS status: This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classifications: Material is not classified under Directives 67/548/EEC or 1999/45/EC.

GHS Label Elements:

Hazard Pictograms:



Signal Word: Warning!

Hazard Statements and GHS Classifications:

H333

May be harmful if inhaled

Not Categorized

Precautionary Statements:

Prevention:

P260: Do not breathe mists.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink, or smoke when using this product.

P273: Avoid release to the environment.

P280: Wear protective gloves, clothing, and eye/face protection.

Responses:

P301+P331+P312: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call POISON CENTER, and/or doctor if you feel unwell.

P302+P362+P352: IF ON SKIN (or hair): Take off all contaminated clothing, and wash before reuse. Wash with plenty of soap and water. Rinse with water.

P333+P313: If skin irritation or rash occurs, get medical attention.

P304+P340: IF INHALED: Remove person to fresh air, and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present, and easy to do. Continue rinsing. Get medical attention if irritation persists.

P308+P313: If exposed or concerned, get medical attention.

P391: Collect spillage.

Storage:

P233+P403: Store in a well-ventilated place. Do not allow to freeze, or expose to high temperatures. Keep containers tightly closed.

Disposal:

P501: Dispose of contents and containers in accordance with all local, regional, and international regulations.

Other Hazards: None known. No Physical, or Chemical Hazards classified under GHS.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Mixture.

CHEMICAL NAME	CAS NUMBER	CONTENT (%)
Water	N/A	55-65%
Solids content	N/A	35-45%*

*Solids are a mixture of sodium nitrate, aluminum oxide and titanium dioxide dissolved in water.

Occupational Exposure Limits, if available, are listed in Section 8.

SECTION 4: FIRST AID MEASURES

Description of necessary first aid measures:

General	Get medical attention immediately for any person who is having trouble, not breathing, or any unconscious person. Provide oxygen or artificial respiration to a person if they have trouble breathing. Place an unconscious person in a recovery position, maintain an open airway, and loosen tight clothing.
Inhalation	Remove victim to fresh air, and keep warm and at rest, in a position comfortable for breathing. Get medical attention, if any irritation persists.
Skin Contact	Flush contaminated skin with plenty of water. Remove contaminated clothing, and/or shoes. Wash exposed area with soap and water. Get medical attention, if an irritation persists. Wash clothing, and clean shoes thoroughly, before reuse.
Eye Contact	Flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for, and remove any contact lenses. Get medical attention, if irritation persists.
Ingestion	Wash out mouth with water. Remove dentures, if any. Remove victim to fresh air, and keep at rest in a position comfortable for breathing. DO NOT induce vomiting. Get medical attention if discomfort/irritation persists.

Most Important Symptoms/Effects, Acute and Long –Term:

Potential Acute Health Effects:

Inhalation	Exposure to decomposition products may cause a health hazard.
Skin Contact	May cause skin irritation.
Eye Contact	May cause eye irritation.
Ingestion	May cause discomfort if swallowed.

Overexposure Signs/Symptoms:

Inhalation	No specific data.
Skin Contact	Adverse symptoms may include the following: Irritation, burns, and/or Redness.
Eye Contact	Adverse symptoms may include the following: Pain, or Irritation, Watering, Redness.
Ingestion	No specific data.

Indication of Immediate Medical Attention and/or Special Treatment needed:

Notes to Physician Treat symptomatically.

Specific Treatments No specific treatment(s).

See also Toxicological Information in Section 11.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing Media Dry chemicals, foam, water spray, or carbon dioxide. Spray containers with water to keep cool.

Unsuitable Media None known.

Specific Hazards No specific fire or explosion hazards.

National Fire Protection Association (USA):

Labeling: Health: 1 Fire: 0 Reactivity: 0

Hazardous Thermal Decomposition Products

No specific data.

Special Protective Actions for Firefighters

Promptly isolate the scene by removing all persons from the vicinity of the incident, if there is a fire. No action shall be taken involving any personal risk, or without suitable training.

Special Protective Equipment for Firefighters

Firefighters should wear appropriate protective equipment, and self-contained breathing apparatus (SCBA) with a full-face piece operated in a positive pressure mode for the general conditions of the fire. No specific precautions are required for this product by itself.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Keep unauthorized persons away. Provide adequate ventilation, and avoid breathing vapors. Put on appropriate personal protective equipment (see **Section 8**).

Environmental Precautions

Avoid dispersal of material and runoff from contact with soil, waterways, drains, and/or sewers.

Methods and Materials for Containment and Cleaning Up (Small or Large Spill)

Stop leak, if possible, without risk. Absorb spilled material with vermiculite, dry sand, or earth. Put into containers, and dispose of via a licensed waste disposal contractor. Clean spillage area with solvents, or plenty of water. Do not allow runoff into sewers or water sources. If in an area with poor ventilation, personnel should wear SCBA equipment during cleanup.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling/Personal Hygiene

Use appropriate personal protective equipment as per **Section 8**. Keep in the original container, or an approved alternative; keep containers tightly closed when not in use. Do not reuse containers. Wash hands after using, and/or before eating, drinking, or smoking. Power Coat Paint should not be applied by sprayer, but via roller, brush, or painter's mitt.

Conditions for Safe Storage, including any Incompatibilities

Store in sealed original containers, or approved alternatives, in a dry, well-ventilated area when not in use. Protect containers from direct sunlight, and store at 15-40°C (55-110°F). Do not reuse empty containers.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Occupational Exposure Limits:

CHEMICAL NAME	CAS NUMBER	ACGIH-TWA	ACGIH-TWA
Water	N/A	N/A	N/A
Solids content	N/A	N/A	N/A

Appropriate Engineering Controls

Always provide effective general, or as required, local exhaust ventilation to prevent routine inhalation of vapors. If appropriately used, no mist or spray should be created. Use good laboratory/shop procedures at all times.

Exposure controls

Respiratory Protection

Not required unless a mist or aerosol is produced.

Hand Protection

Chemical-resistant (impervious) gloves (such as nitrile rubber of .35mm thickness or similar) should be worn when handling this material. Contaminated gloves should be disposed of properly.

Body Protection

Chemically resistant long-sleeved shirts and long pants, and/or lab coats are recommended. Contaminated clothing should be washed separately from other clothes before reuse. Footwear appropriate for the work being performed should be worn, and cleaned carefully, if contaminated, before reuse. Soaked footwear should be disposed of properly.

Eye/Face Protection

Safety eyewear and face shields appropriate for the work being performed should be used. Ordinarily, this means a minimum of safety eyewear, or splash goggles.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Viscous Liquid	Color:	Gray
Odor:	Slight	Odor Threshold:	N/A
pH	8.5-9.5	Melting Point:	N/A
Boiling Point:	N/A	Flash Point:	N/A
Evaporation Rate:	N/A	Vapor Pressure/Density:	17mm Hg 0.99-1.23 g/cm ³ (~9 lbs/gal.)
Relative Density	N/A	Viscosity:	N/A
Auto-Ignition Temp.	N/A	Decomposition Temp.	N/A
Solubility	Fully miscible in water.	% Volatile ASTM D2369	N/A-None

SECTION 10: STABILITY AND REACTIVITY

Reactivity:

None. Product is unreactive in normal use.

Chemical Stability:

This product is stable under normal conditions.

Possibility of Hazardous Reactions:

None under normal conditions of use. See "Reactivity" above for cautions.

Conditions to Avoid:

Avoid excessive heat for long periods.

Incompatible Materials: None known.

Hazardous Decomposition Products: None known.

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity

CHEMICAL NAME	LC ₅₀ Inhalation (Rat)	LD ₅₀ Oral (Rat)	LD ₅₀ Dermal (Rabbit)
Water	N/A	N/A	N/A
Solids content	N/A	N/A	N/A

Sensitization: No specific data **Mutagenicity:** No specific data.

Carcinogenicity: No specific data. **Reproductive Toxicity:** No specific data.

Teratogenicity: No specific data. **Eye Damage:** No specific data.

Specific Target Organ Toxicity (Single and Repeated Exposure): No specific data.

Aspiration Hazard: N/A. **Information on the Likely Routes of Exposure:** N/A.

Potential Acute Health Effects and Related Symptoms:

See **Section 4**.

Delayed, immediate and chronic effects from short and long term exposure:

N/A-none known.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity:

CHEMICAL NAME	TEST	SPECIES	RESULT
Water	N/A	N/A	N/A
Solids content	N/A	N/A	N/A
Ammonia, aqueous solution	N/A	N/A	N/A

Persistence and Degradability:

CHEMICAL NAME	TEST	PERIOD	RESULT
Water	N/A	N/A	N/A
Solids content	N/A	N/A	N/A
Ammonia, aqueous solution	N/A	N/A	N/A

Bioaccumulative Potential and Mobility in Soil:

LogP_{ow}, **BCF**, and Soil/Water Partition (**K_{oc}**) information are not available for any components.

Other Adverse Effects: No other information is available. No information is available regarding classification as PBT or vPvB.

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of unused contents (incineration) in accordance with national and local regulations. Dispose of containers in accordance with national and local regulations. Ensure the use of properly authorized waste management companies, where appropriate. See **Section 8** for recommendations on the use of personal protective equipment.

SECTION 14: TRANSPORTATION INFORMATION

UN No's: DOT/TG: Not regulated. **IMDG:** N/A **ICAO:** N/A

DOT/TDG Proper Shipping Name:

Not applicable.

Hazard Classes: DOT: N/A TDG: N/A IMDG: N/A ICAO: N/A ADR/RID: N/A
Hazard Labels: DOT: N/A TDG: N/A
Pack Groups: DOT: N/A IMDG: N/A AIR: N/A
Special Precautions for User: N/A **Marine Pollutant:** N/A **Hazardous Substance (US):** NO
Transporting in Bulk according to Annex KK of MARPOL 73/78 and the IBC Code: N/A
Label for Conveyance:
N/A

SECTION 15: REGULATORY INFORMATION

INTERNATIONAL REGULATIONS:

International Lists

Canada Inventory	None listed. *	EU-EINECS	None listed. *
Other	None listed. *	EU-ELINCS	None listed.*

***Note:** There is no listing on the public inventory, no information is available, or the component has not been reviewed.

Substances of Very High Concern (REACH Annex XIV and XVII): None of the components are listed.

UNITED STATES NATIONAL REGULATIONS:

TSCA 8(a) PAIR: All ingredients are listed.

TSCA 8(a) CDR Exempt/Partial Exemption: All ingredients are listed

US Inventory, TSCA 8(b): All components listed or exempted.

Clean Water Act (CWA) 307: N/A

Clean Air Act, Section 112(b), Hazardous Air Pollutants: Not listed.

Clean Air Act, Section 602, Class I Substances: Not listed.

Clean Air Act, Section 602, Class II Substances: Not listed.

SARA 302/304: No products were found.

SARA 304 RQ: Not Applicable.

SARA 311/312 Classification: Not Applicable.

SARA 313, Form R Reporting Requirements:

No components are listed that have RQ or TPQ limits.

US STATE REGULATIONS:

Titanium Dioxide, as a powder, is on "right to know" listings of the following states: MA, NJ, PA, RI and CA. Titanium Dioxide is a CA Proposition 65 chemical if airborne and respirable. It is not listed if not airborne and remains bound in a product matrix, as in this application. Aluminum oxide, as a solid or powder, is on the "right to know" lists of the following states: MA, NJ, PA, RI. It is not listed under CA Prop 65 in any form.

SECTION 16: OTHER INFORMATION

ABBREVIATIONS:

ACGIH: American Conference of Governmental Industrial Hygienists
ADR/RID: European dangerous goods transport, road and rail, regulations
CAS: Chemical Abstract Service Registry
DOT: Department of Transportation (U.S.)
GHS: Globally Harmonized System of Classification and Labeling of Chemicals
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
IMDG: International Maritime Dangerous Goods code
OEL: Occupational Exposure Limits
OSHA: Occupational Safety and Health Administration (U.S.)
PEL: Permissible Exposure Limit
RQ: Reportable Quantity
SDS: Safety Data Sheet
STEL: Short Term Exposure Limit (15 minute Time Weighted Average)
TDG: Canadian Transportation of Dangerous Goods Act and Regulations
TPQ: Threshold Planning Quantity
RQ: Reportable Quantity
UN: United Nations
U.S.: United States
N/A: Not available or not applicable.

Revision Date: 31 May 2015
Revision: 0
Reason for Revision: N/A

Notice:

The information contained herein, as provided, is correct to the best of our knowledge, information, and belief at the date of publication. However, Air Logistics Corporation (ALC) makes no representation as to its completeness and accuracy. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release. This information is not to be considered a warranty or quality specification. Since the conditions of handling and use are beyond ALC's control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. This information relates only to the specific material designated, and may not be valid if used in combination with any other materials, or in any process not specified in the text. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.

END OF SDS